

EXPLORING AND ADVANCING UNIVERSAL JOINT ANALYSIS AND DEVELOPMENT

¹Dr. VEERAVALLI SITARAM PRASAD, ²VENGALA UPENDER, ³BOMMU SATISH REDDY, ⁴K. MAHESH

¹Professor, ^{2,3}Assistant Professor, ⁴Student
Department Of Mechanical Engineering

Abdul Kalam Institute of Technological Sciences, Kothagudem, Telangana

ABSTRACT:

Shafts that transfer rotational motion frequently use universal joints, which can handle angular moments in any direction. It usually consists of two hinges coupled by a cross shaft that are 90 degrees apart and adjacent to each other. It is widely used in industrial applications and automotive drivelines to join mismatched shafts. The automotive sector is looking into composite materials as a way to reduce weight without significantly reducing vehicle cost or reliability. This is due to the strong correlation between a vehicle's fuel consumption and weight reduction.

The recommended task for this project is to design and analyze the Universal joint for the selected load situation. A universal joint will fracture when generated stresses exceed the permissible limit of the material. Because of this, designing and analyzing universal joints is essential to making sure they can withstand operational circumstances without malfunctioning. The Universal joint will be modeled and statically examined using PRO-E Creo 4.0. The same analysis is done for carbon-reinforced epoxy composite, steel, and cast iron. Based on the FEM research, the best

material for the Universal joint will be recommended.

1. INTRODUCTION

A joint is a device used to connect two shafts together at their ends for the purpose of transmitting power. Couplings do not normally allow disconnection of shafts during operation, however there are torque limiting couplings which can slip or disconnect when some torque limit is exceeded. The primary purpose of couplings is to join two pieces of rotating equipment while permitting some degree of misalignment or end movement or both. By careful selection, installation and maintenance of couplings, substantial savings can be made in reduced maintenance costs and downtime.


Universal Joint

A Universal joint is more commonly known as U-Joint. Besides, it can also be known as Universal coupling, Cardan joint, Hooke's joint etc. It is a mechanical connection between the rotating shafts which are generally not in parallel but intersecting. It can allow positive transmission of rotating power at a much larger angle than is


permissible with a flexible coupling. And it can transmit torque and motion.

Universal joints can be widely used in all types of power transmission systems. They have a variety of applications. They can be used in food processing equipment's, replacement for expensive gear boxes, and drives, etc. Besides, they are also commonly applied in connecting power take off drive shafts in off highway tractors that operate drawn machinery such as rotary grass mowers and feed grinders. Cardan joint or Hooke's joint is the oldest and most common type of U-joint. This is quite popular in automobile applications. It can transmit relatively high torque with minimal radial loads.

However, it also has some disadvantages. For example, by the design of these U-joints have difficulty compensating for parallel offset and axial misalignment. Besides, due to its design, even a lubricated Cardan u-joint will require periodic maintenance, and may leak lubricant.



Universal Coupling



Exploded view of Universal Coupling

2. LITERATURE REVIEW

Rahul Arora [2017], In this paper limited component investigation of the part is done to discover the stress and deformation of the last item. For demonstrating of the segment Solidworks CAD software is utilized. Pre-handling work like cross section and examination work is done in ANSYS CAE software. Utilizing FEA investigation, we can recognize the nature and qualities of stresses following up on the Yoke and evaluate the impact of the load/mass geometry/boundary limit conditions over the yoke.

Maram Venkata Sunil Reddy et.al [2016], had done an Investigation on fracture analysis of a universal joint yoke and a drive shaft of an automobile power transmission system are carried out. Spectroscopic analyses, metallographic analyses and hardness measurements are carried out for each part. For the determination of stress conditions at the failed section, stress analysis is also carried out by the finite element method.

Abhishek Mandal et.al [2016], the purpose of this paper is an investigation about the static and structural analysis of the universal

joint using advanced computer aided engineering software and study the various stresses and strains developed in the joint.

Dhananjay S Kolekar et.al [2015], had done an investigation on the universal joint based on the design review could look into aspects dealing with the material properties and/or the geometry of the part/s. For this work no radical change is sought in design and the existing design shall be reviewed for feasible alternatives calling for minimal changes in the development or production further.

RITESH P. NEVE et.al [2015], the purpose of this paper is an Investigation Thus in this paper the aim is to replace universal joint by composite material. The following material can be chosen are carbon/epoxy composite, Kevlar/epoxy composite. Analysis and experimentation is being performed on universal joint yoke.

Avinash C Vasekar, Ranjitsinha R gidde [2015], In this study, failure analysis and weight optimization of a universal joint yoke of an automobile power transmission system are carried out.

Naik Shashank Giridhar et.al [2013], the main objective of this paper is to make certain modifications are made in the existing geometry and analysed for the identical loading and boundary conditions as in the reference paper from which the problem has been taken.

3. SOFTWARE USED

PRO-E


Modelling is done in Pro-e software

Entering Part Directly from Creo Parametric.


Select the NEW FILE icon from the ribbon at the top of the screen. Save as >File>New. When the New file window opens, select Part as the type, then enter a valid filename without the extension.

Pick OK.

Modelling of Universal joint



2-D,3-D Model of universal joint




Sectional view of Universal joint

Meshing

Create a mesh, by clicking on the refine model tab in the ribbon and select mesh and select the component that is going to be meshed, select the elements needed for the mesh and the size of the element, and click

on the auto gem ion and it will take several minutes.




Meshing

4. RESULTS AND DISCUSSIONS

Solution of malleable cast iron


Von misses stress



Von misses stress of malleable cast iron

One side of the Universal joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the key and the joint of the centre block i:e 29.4149 MPa, The minimum stress are developed in the fork and some parts of centre block i:e 0.00033 MPa.


Displacement



Displacement of malleable cast iron

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum displacement developed in the Fork on the side of the force applied i:e 0.01596 mm. The minimum displacement developed in the fixed end side of the fork i:e 0.000 mm

Principle stress




Principle stress of malleable cast iron

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the some parts of the Universal Joint i:e 43.2342 MPa. The minimum stresses developed in the some parts of the universal joint i:e -10.2468 MPa.

Solution of High speed tool steel


von misses stress



Von misses stress of High speed tool steel

One side of the Universal joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the key and the joint of the centre block i:e 28.8955 MPa, The minimum stress are developed in the fork and some parts of centre block i:e 0.00036 MPa.


Displacement



Displacement of High speed tool steel

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum displacement developed in the Fork on the side of the force applied i:e 0.01174 mm. The minimum displacement developed in the fixed end side of the fork i:e 0.000 mm.

Principle stress




Principle stress of High speed tool steel

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the some parts of the Universal Joint i:e 44.3507 MPa. The minimum stresses developed in the some parts of the universal joint i:e -12.2670 MPa.

Solution for the epoxy carbon fibre composite

Von misses stress




Von misses stress of Carbon epoxy fibre composite

One side of the Universal joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the key and the joint of the centre block i:e 27.8161 MPa, The minimum stress are developed in

the fork and some parts of centre block i:e 0.00036 MPa.


Displacement



Displacement of Carbon epoxy fibre composite

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum displacement developed in the Fork on the side of the force applied i:e 0.05804 mm. The minimum displacement developed in the fixed end side of the fork i:e 0.000 mm.

Principle stress



Principle stress of Carbon epoxy fibre composite

One side of the Universal Joint is fixed and the Load is applied on the Shaft of the Universal joint i:e 100KN-m and the maximum stresses developed in the some parts of the Universal Joint i:e 46.2293 MPa. The minimum stresses developed in the

some parts of the universal joint i:e -13.8278 MPa.

Name of the material	Von misses stress(MPA)	Displacement (mm)	Principal stress(MPA)
Malleable cast iron	29.4149	0.01596	43.2342
High speed tool steel	29.8955	0.01174	44.3507
Carbon epoxy fibre composite	27.8161	0.05804	46.2293

Name of the material	Von misses stress (MPa)	Ultimate stress (MPa)	Factor of Safety
Malleable cast iron	29.4149	586	19.92
High speed tool steel	29.8955	1696	56.73
Carbon epoxy fibre composite	27.8161	901	32.39

The software results obtained from existing universal coupling with different materials like malleable cast iron, High speed tool steel and carbon epoxy fibre composite. By comparing these results, High speed tool steel material has the maximum acquirable factor of safety and it is the best material in terms maximum designable factor of safety.

5. CONCLUSION

A finite element analysis of the universal joint was carried out using Creo 4.0. The results of FE Analysis have formed the basis for many discussions. The results obtained are in good agreement with the available literature. The model displayed herein is well within permissible stress thresholds.

1. The current investigation leads to the conclusion that, when updated, the design parameters of the universal coupling sufficiently improve the existing findings.
2. The material cost is decreased, but the universal coupling's weight is somewhat increased by 10.5%.

The most stress is found along the sharp edges.

REFERENCES

- [1].Rahul Arora Mechanical Department (M.E Student), National Institute of Technical Teacher Trainee and Research, INDIA, MODELING AND FAILURE ANALYSIS OF UNIVERSAL JOINT USING ANSYS, International Journal of Emerging Technologies in Engineering Research (IJETER), Volume 5, Issue 8, August (2017).
- [2].Maram Venkata Sunil Reddy, C. Raghunatha Reddy, M.Tech Student, Assistant Professor & H.O.D Department of Mechanical Engineering Tadipatri Engineering College, India, DESIGN AND ANALYSIS OF UNIVERSAL COUPLING JOINT ,Volume 6 Issue No. 12, (2016).
- [3].Abhishek Mandal , Utkarsh Sharma , Harshit Pant, Department of Mechanical Engineering, Sikkim Manipal Institute of Technology, Majhitar, Rangpo, Sikkim, India, STATIC STRUCTURAL ANALYSIS OF UNIVERSAL JOINT TO STUDY THE VARIOUS STRESSES AND STRAINS DEVELOPED IN POWER TRANSMISSION SYSTEMS. International Journal of Engineering Research & Technology (IJERT) ,ISSN: 2278-0181, Volume 5 issue 3, March 2016.
- [4].Dhananjay S Kolekar, Abhay M. Kalje, Swapnil S Kulkarni ME (Mech-Design), Associate Professor & Head of Dept
- N.B. Navale Sinhgad College of Engineering, Solapur, Solapur University, India 3Associate, Advent Tool Tech, Bhosari, Pune, India, STRUCTURAL ANALYSIS OF UNIVERSAL JOINT USING FINITE ELEMENT METHODOLOGY, International Journal of Scientific Research and Management Studies (IJSRMS) ISSN: 23493771 Volume 2 Issue 3, pg: 136-142. (2015).
- [5].RITESH P. NEVE, Prof.A.V.PATIL , NEHA KATARWAR(P G Student, Department of Mechanical Engineering S S G B COE & T, Bhusawal, Maharashtra, India) (H O D Department of Mechanical Engineering S S G B COE & T, Bhusawal, Maharashtra, India) (P G Student, Department of Mechanical Engineering P V P I T, Bavdhan, Maharashtra, India), EXPERIMENTAL AND NUMERICAL ANALYSIS OF UNIVERSAL JOINT YOKE, International Journal of Advance Research in Engineering, Science & Technology(IJAREST), ISSN(O):2393-9877, ISSN(P): 2394-2444, Volume 2, Issue 7, July2015, Impact Factor: 2.125.
- [6].Avinash C Vasekar, Ranjitsinha R. Gidde, Research scholar, Department of Mechanical Engineering, SVERI's College of Engineering, Gopalpur ,Pandharpur, Department of Mechanical Engineering, SVERI's College of Engineering, Gopalpur, Pandharpur. FAILURE ANALYSIS AND OPTIMIZATION OF UNIVERSAL JOINT YOKE SUBJECTED BY

- TORSION AND SHEAR, International Research Journal of Engineering and Technology (IRJET), Volume: 02 Issue: 07 | Oct-2015, e-ISSN: 2395-0056, p-ISSN: 2395-0072.
- [7]. Naik Shashank Giridhar, Sneha Hetawal, Baskar P. P.G. Scholar, School of Mechanical and Building Sciences, *Asst. Professor, School of Mechanical and Building Sciences, VIT University, Vellore- Tamil Nadu (INDIA), FINITE ELEMENT ANALYSIS OF UNIVERSAL JOINT AND PROPELLER SHAFT ASSEMBLY, International Journal of Engineering Trends and Technology (IJETT) – Volume 5 Number 5 - Nov 2013.
- [8]. S.G.Solanke and A.S.Bharule, “An Investigation On Stress Distribution For Optimization Of Yoke In Universal Joint Under Variable Torque Condition” International Journal of Mechanical Engineering and Robotics Research Vol. 3, No. 2, April 2014 ISSN 2278 – 0149
- [9]. Anup A. Bijagare, P.G. Mehar and V.N. Mujbaile, “Design Optimization & Analysis of Drive Shaft”, VSRD International Journal of Mechanical, Auto. & Prod. Engg. Vol. 2 (6), 2012.
- [10]. S.K.Chandole, M.D.Shende, M.K. Bhavsar “ Structural Analysis Of Steering Yoke Of An Automobile For Withstanding Torsion/ Shear Loads”,IJRET: International Journal of Research in Engineering and Technology Volume: 03 Issue: 03 | Mar-2014
- [11]. Farzad Vesali, Mohammad Ali Rezvani* and Mohammad Kashfi, “Dynamics of universal joints, its failures and some propositions for practically improving its performance and life expectancy” Journal of Mechanical Science and Technology 26 (8) (2012) 2439~2449
- [12]. Naik Shashank Giridhar, Sneha Hetawal and Baskar P., “Finite Element Analysis of Universal Joint and Propeller Shaft Assembly”, International Journal of Engineering Trends and Technology (IJETT) - Nov 2013 – Volume Number 5
- [13]. Sunil Chaudhry, Anil Bansal, Gopal Krishan “Finite Element Analysis and Weight Reduction of Universal Joint using CAE Tools ”International Journal of Engineering Research & Technology (IJERT) ISSN: 2278-0181 Vol. 3 Issue 10, October- 2014
- [14]. P.G. Tathe, Prof. D.S. Bajaj and Swapnil S. Kulkarni, “Failure Analysis And Optimization In Yoke Assembly Subjected By Torsion And Shear”, International Journal of Advanced Engineering Research and Studies EISSN2249–8974. July-Sept,2014
- [15]. S.K. Chandole, M.K. Bhavsar, S.S. Sarode, G.R. Jadhav “Design Evaluation And Optimization Of Steering Yoke Of An Automobile” International Journal of Research in Engineering and Technology | pISSN: 2321-7308 Volume: 03 Issue: 11 | Nov-2014,
- [16]. Kamal Kashyap, D.G.Mahto “Analysis of Hooks Joint Using Ansys by Von-Mises Method” International Journal of Engineering and Advanced Technology

(IJEAT)ISSN: 2249 – 8958, Volume-3,
Issue-3, February 2014

- [17]. H. Bayrakceken, S. TasgetirenI. And Yavuz, “Two cases of failure in the power transmission systemon vehicles: A universal joint yoke and a drive shaft”, EngineeringFailure Analysis 14 (2007) 716–724.
- [18]. S.Kinme, T.Kamikawa, A.Nishino, K. Ikeda and S. Inoue, “Development of Stamped Yoke for High Rigidity Intermediate Shaft” Koyo Engineering Journal English Edition 165E (2004)